Vlab iPad Charge and Sync Storage Cabinet

Charge and Sync your iPad, Samsung Galaxy Tab, or any other USB charging tablets

The charge and sync cabinet allows you to charge and sync your device up to 48 iPads or tablets. The cabinet offers syncing capabilities that allow you to connect multiple iPads to your PC or Mac to synchronise your data which will result in significant time saving for your organisation. The charging cart is built with also a power distribution system that can effectively charge your devices and also prevent over current. The cabinet is also CE certified and is tested in our Singapore distribution centre before distribution.





Convenient iPad Sync Compatibility



Allows syncing to multiple iPads at the same time. The sync cart is built with automatic error recovery system to reduce the error between syncing. The cart also supports high speed transfer of up to 480MHz uplink and downlink. You may also place your laptop on top of the cabinet for convenient syncing of your iPad via Apple iTunes or Apple configurator.

Although the charging cabinet has been tested rigorously at our factory, we do our part to go through another round of testing over at our Singapore Distribution Centre before distribution.

Slots to fit iPads with casing and a lockable design

Each individual slots for the cabinet is specially designed to be able to fit iPads that are fitted with different casing. Thus you do not have to worry about compromising your casing quality or design for the cabinet now. The cabinet is also built with a front open key lock that will protect your assets from theft.



Gallery


1. Cabinet picture



2. Cabinet Picture (Internal – 32 iPad)



3. Cabinet Picture (Internal) - Charge and Sync Hub



iPad 32 / 48 Charging Cart Specification

Power per port	2.1A or 2.4A per USB Port (5V)			
Devices	iPad, Kindles, Tablets (USB rechargeable models only)			
Number of Decks	2 (for 32 iPad), 3 (for 48 iPad) [16 iPads / Deck]			
Supported Screen Size	11 inches or smaller			
Sync	Yes			
Number of Device	32 or 48			
Lockable Design	Yes			
Certification	CE Marking			
Mobility	Yes, built with 4 high quality castors			
Up link speed	480 MHz high speed mode			
Down link speed	480 MHz high speed mode			
Other functions	LED Light Indicator (Charging / Syncing status)			
	Automatic Error Recovery			
Supported OS	Windows 7 and above			
	Mac OS X 10.6 and above			
Supported Tablets		* * * * * * * * * * * * * * * * * * *		
	iPad (1st	iPad 2 (2nd	iPad (3rd	iPad with Retina
	generation)	generation)	generation)	display
	iPad Air	iPad mini	iPad mini 2	

Where to Purchase

Distributors and Support Centre

Victron Office & Computing System Pte Ltd

30 Mandai Estate, Mandai Industrial Building #05-07

Singapore 729918

Tel: 68770332, 68770581 Fax: 68770582